

# DINEX®



**Racks**

# DINEX® Racks

## A Reputation of Fine Craftsmanship

Every product is skillfully engineered with uncompromising attention to detail – for an end result that is practical, reliable and made to withstand the rigors of the bakery, foodservice and institutional environments for years to come.

Dinex engineers take the extra steps needed to ensure the highest-performing, most reliable products in the field. Not only is each piece of equipment produced by skilled craftsmen who use the most durable components available; every product is also rigorously tested before shipment.

The resulting quality is apparent – down to the last detail.



DXP520

## Knock-Down Angle Racks

### *Strength and versatility at an economical price*

1" x 2" aluminum glides fully welded and shipped knocked-down to save cost. Sized for full-size sheet pans and available in capacities from 6 to 20 pans.

- Twice the welds of competitive racks
- Double welded side glides for added strength
- Assembles in minutes (fully welded available)
- Choose from roll-in, front- or side-load models

## Universal Angle Racks

### *Versatile design for optimal performance*

2-tiered glides are spaced to hold multiple sized trays simultaneously.

- Fully welded aluminum frame
- Glides are stepped 1" x 5" x .080"-thick extruded aluminum and welded to front and back of the frame
- Accommodates 12" x 20" steam pans up to 6" deep; 18" x 26" sheet pans and 18" x 13" trays
- Available in roll-in height
- Also available with adjustable glides



DXP612U



DXP520MWUV

*Ideal for kitchen, bakery, proofer and freezer applications*

### Angle Racks


***Strong, practical & versatile; our most popular rack***

A fully welded frame of aluminum channels, 2" glides and our signature Piper Base. Built for full-size sheet pans in 12 to 30-pan capacities. Custom sizes available.

- 1/2" diameter tie bar avoids distortion and gives greater side-to-side strength
- Signature Piper Base
- 2"-wide glides are welded front and back to the frame
- Also available in roll-in height for freezers and proofers



DXP612



DXP741

### Channel and Closed-Side Racks

***Higher capacity, increased functionality, our strongest and most durable racks***

Our channel racks use the same glide system and signature base found in our popular 941 Transport Cabinet.

- No-tip channel design allows trays to be partially withdrawn without falling
- Holds up to 41 full-size sheet pans
- Fully welded ledges are 1-1/2" inches apart
- Choose from front- or side-load models

### Universal Guide Racks

#### ***For Refrigerators or Freezers***

The extra wide guides on our universal racks accommodate 18" x 26" sheet pans and 12" x 20" steam pans simultaneously.

- 1" Wide aluminum tie bars for extra rigidity.
- 5" diameter, heavy duty, double ball bearing swivel casters with non-marking polyurethane tires.



DXPMPR604M

### Multi-Purpose Transport and Drying Rack

***Aluminum multi-purpose transport and drying rack.***

The extended wire dividers on our MPR racks allow multiple size pans and trays to be carried simultaneously.

- The pan dividers are 1-1/2" on center
- Pan supports have removable sections of chromium plated wire dividers to separate the pans or trays for drying
- 5" diameter, heavy duty, double ball bearing swivel casters with non-marking polyurethane tires. Two casters are fitted with brakes



# Specialty Racks

*Ideal for unique applications*

## Can Racks

### *Durable and easy to use*

Our can racks are available in many styles, including rear-loading with stainless steel worktop, mobile, and front-loading with first-in / first-out storage system

- All Heliarc welded aluminum construction
- Inclined can glides provide easy access to product and automatic can advancement
- Glides are 1-1/2" welded to the frame



Front Loading System





DXPCSRFF156

## Nesting Rack

### *The ultimate space-saving storage technique for empty racks*

- When empty, nesting racks fit together, minimizing storage space
- Nesting allows one person the ability to move multiple empty racks easily
- Reinforced with fully welded C-channel for strength, rigidity and stability
- 1" x 2" extruded aluminum glides welded to the frame front and back



DXP618N

Standard Racks

Prod No	Description	Length	Width	Height	Pan Capacity
Knock-Down Angle Racks					
DXP506M	Mini	26"	21"	32"	6
DXP506	End Load	26"	21"	65"	8
DXP509	End Load	26"	21"	65"	9
DXP512	End Load	26"	21"	68"	12
DXP520	End Load	26"	21"	68"	20
DXP505MT	Table Top	26"	21"	26.5"	5
DXP518S	Side Load	18"	28.5"	65"	18
DXP520S	Side Load	18"	28.5"	71"	20
DXPR518	Roll-In	26"	21"	65"	18

Welded models available

Angle Racks

DXP612	End Load	27"	21"	67.13"	12
DXP620	End Load	27"	21"	67.13"	20
DXPR611	Roll-in	26.25"	20.63"	64.75"	11
DXPR618	Roll-in	26.25"	20.63"	64.75"	18
DXPR626	Roll-in	26.25"	20.63"	64.75"	26
DXP630	End Load	27"	21"	67.13"	30

Channel Racks

DXP733	End Load	27.38"	21"	57.25"	33
DXP741	End Load	27.38"	21"	69.25"	41
DXP733S	Side Load	19.13"	29.13"	57.25"	33
DXP741S	Side Load	19.13"	29.13"	69.25"	18

Closed-Side Racks

DXP822	End Load	27.38"	21"	40.75"	22
DXP841	End Load	27.38"	21"	69.25"	41
DXP822S	Side Load	21"	27.38"	40.75"	22
DXP841S	Side Load	21"	27.38"	69.25"	41
DXPR836	Roll-in	27.38"	21"	64.5"	36

Universal Racks

DXP612U	Universal	27.5"	23.5"	69"	12-24
DXP620U	Universal	27.5"	23.5"	69"	20-40
DXPR611U	Roll-in	27.5"	24"	63"	11-22
DXPR618U	Roll-in	27.5"	24"	63"	18-36

Designed to hold 18" x 26" or 18" x 13" sheet pans and/or 12" x 20" steam table pans in 2", 4" or 6" depths

Oval Tray Racks

DXP108	Oval Tray	26"	26"	70"	8
DXP110	Oval Tray	26"	26"	70"	10

Wide Angle Guide Racks

One Bank DXPW6818269	20.5"	26"	68"	6.38"	9
Two Bank DXP2W68182618	40"	26"	68"	6.38"	18
Three Bank DXP3W68182627	59.5"	26"	68"	6.38"	27

Standard Racks

Prod No	Width	Depth	Height	Spacing	Capacity (18" x 26" Pans)
Angle Guide Racks					
DXPALT60182616	21.5"	26"	60"	3"	16
DXPALT67182618	21.5"	26"	67"	3"	18
DXPA3618269	20.5"	26"	36"	3"	9
DXPA60182616	20.5"	26"	60"	3"	16
DXPA72182620	20.5"	26"	72"	3"	20
DXP2A72182640	40"	26"	72"	3"	40
DXPA3618265	20.5"	26"	36"	5"	5
DXPA4818268	20.5"	26"	48"	5"	8
DXPA60182610	20.5"	26"	60"	5"	10
DXPA72182612	20.5"	26"	72"	5"	12
DXP2A72182624	40"	26"	72"	5"	24

Universal Guide Roll-In Racks

DXPRIU6912	23.75"	26"	69"	12	24
DXPRIU6411	23.75"	26"	64.5"	11	22
DXPRIU5810	23.75"	26"	58.5"	10	20
Spacing O.C. = 4.88"					

Compound Guide Racks

DXPC46182624	20.63"	26"	46"	1.5"	24
DXPC60182632	20.63"	26"	60"	1.5"	32
DXPC70182640	20.63"	26"	70"	1.5"	40

Transport and Tray Drying Racks

DXPMPR604M	62"	23"	74"	(Varies – Contact Factory)	
------------	-----	-----	-----	----------------------------	--

Specialty Racks

Prod No	Description	Length	Width	Height	Pan Capacity
Nesting and Glass Racks					
DXP618N	Nesting*	27"	21"	63"	18 pan
DXP208	Glass**	22"	24"	70"	8 racks
DXP210	Glass**	22"	24"	70"	10 racks

\* Designed to hold 18" x 26" or 18"x 13" sheet pans

\*\*Designed to hold 20" x 20" racks

Prod No	Width	Depth	Height	Capacity (18" x 26" Pans)
Can Storage Racks				
DXPCSR84	26.37"	42.5"	40.75"	84 #10 Cans
DXPCSR210	26.37"	42.5"	86.5"	210 #10 Cans
DXPCSR308	26.37"	42.5"	72.75"	308 #5 Cans
DXPCSRFF156	27.25"	42"	81.06"	156 #10 Cans



Visit **[www.dinex.com](http://www.dinex.com)** to discover our complete line of foodservice and healthcare equipment solutions.

4711 Hefner Road  
Oklahoma City, OK 73152-3006  
Phone: 800-654-8210  
Fax: 800-872-4701  
[www.dinex.com](http://www.dinex.com)  
© 2019 Dinex

**DINEX®**